

Microprocessor Based Ultrasonic Compact Cleaners

TPC Series in collaboration with Telsonic AG, Switzerland

FEATURES

- ★ Digital Control of time and temperature
- ★ SS tank with complete SS body
- ★ Simple operation
- ★ Longer tank life
- ★ Low noise level
- ★ Suitable for continuous operation
- ★ Rugged and easy to clean stainless steel housing
- ★ Fully transistorized generator
- ★ Automatic frequency tuning for maximum output.
Independent of liquid level, temperature and/or parts to be cleaned
- ★ Maintenance-free
- ★ Latest technology
- ★ Universal application




TPC - 40

TECHNICAL SPECIFICATIONS



1) TPC - 15 2) TPC - 110



3) TPC - 40 4) TPC - 25 5) TPC - 280

TYPE		TPC-15H	TPC-25H	TPC-40H	TPC-120H	TPC-280H
Mains Voltage	V	230	230	230	230	230
Current consumption incl. Heater	A _{max}	0.8	1.0	1.2	5.0	8.0
Ultrasonic output eff/peak	W _{max}	75/150	75/150	150/300	300/600	600/1200
Operating frequency	Khz	30	30	30	30	20/30/40
Digital adjustable thermostats	20°-80°C	Yes	Yes	Yes	Yes	Yes
Digital Timer	1s-99min	Yes	Yes	Yes	Yes	Yes
Heating power	W	120	150	150	800	1200
Tank capacity	L	1.5	2.5	4	12	28
Int. Dimensions L x W x D	mm	150x135x100	235x135x100	235x135x150	300x235x200	505x300x200
Ext. Dimensions L x W x D	mm	180x165x220	265x165x220	265x165x262	330x270x325	535x330x370
Outlet valve		No	No	No	Yes	Yes
Weight	Kg	3.0	3.5	4.5	9.0	18.0
Item Code		900 975 010	900 976 010	900 978 010	900 979 010	900 981 010

Also available with different Tank Capacities as per requirement.

Accessories: Tank cover, beaker positioning cover, basket, insert basket for beaker.

U LTRASONICS

Ultrasonics, i.e. high frequency vibrations, generate agitation in liquid resulting into 'Cavitation', which is rapid formation and collapse of minute bubbles in liquid. Implosion of bubbles with high pressure on exposed surface of component dislodges and removes contamination like dirt, dust, oil, grease, chips, wax, lapping paste, carbon etc.

Very high degree of cleaning can be achieved in multi-chamber/multi-operation cleaning system with proper orientation of components, filtration of cleaning liquid, rinsing of components and drying with air and/or vacuum.

A PPLICATIONS

- ★ Filters
- ★ Probes
- ★ Syringes
- ★ Antiques
- ★ Watches
- ★ Jewellery
- ★ Castings
- ★ Fuel Jets
- ★ Templates
- ★ Magnetics
- ★ Hearing Aids
- ★ Rotary Tools
- ★ Pacemakers
- ★ Micropipettes
- ★ Microturbines
- ★ Milling Cutters
- ★ Drills Armatures
- ★ Camera Closures
- ★ Balloon or Flasks
- ★ Integrated Circuits
- ★ Degassing of liquids
- ★ Test Glasses or Tubes
- ★ Micro Pneumatic Parts
- ★ Printed Circuits Relays
- ★ Dental Instrumentations
- ★ Surgical Instrumentations
- ★ Sieve for PH-Electrodes Lens and Glass Frames
- ★ Polished Precious Metals
- ★ Radioactive contaminated parts
- ★ Electronic Parts and Semiconductors
- ★ Instrumentation for Veterinary Medicine
- ★ Gear (Ball-Bearing)
- ★ Pens
- ★ Blood Pumps
- ★ Timers
- ★ Crystals
- ★ Valves
- ★ Ocular Gravures
- ★ Stylus
- ★ Spray Jets
- ★ Electrodes
- ★ Coin-boxes
- ★ Drawing dies
- ★ Video Heads
- ★ Vessel (bulbs)
- ★ Parking Meters
- ★ Micro Switches
- ★ Heavy Engineering Parts & Automotive Parts and many more

NOTE: Technical specifications are subject to change without prior notice, due to continuous upgradation.

C ONTACTS

Factory

Gandhinagar

Tel: 079-23287452 / 23287454 Fax: 23287455

Branch Offices & Representatives

New Delhi

Tel: 011-2237 8502 / 2237 7196

Indore

Tel: 9425065771

Chennai

Tel: 044-2435 4384 / 2435 4385

Kolkata

Tel: (033) 2215 8773 / 74

Hyderabad

Tel: 09000887678

Aurangabad

Tel: 09423028028

Vadodara

Tel: 09825007609

Pune

Tel: 09004023199

Bangalore

Tel: 09845129401

Coimbatore

Tel: 09944974494

Exports

Tel: +919004023197

Email: export@rooptelsonic.com

Thailand

Tel: +66 (0) 2741 3835

Malaysia

Tel: +6019-352 6042

Vietnam

Tel: +84/ 983969798



A/41, Nandkishore Industrial Estate, Off Mahakali Caves Road, Andheri (E), Mumbai - 400 093.

Tel: 022-26870990/0981/1034, 42111500 Fax : 42111505/26870004 E-mail: sales@rooptelsonic.com Web: www.rooptelsonic.com